

DOOR SWITCH DS 013

DS 013

01350.0-00

DS 013 Door switch, change over

- Adjustable positioning without tools
- High switching capacity (10A)
- Double strain relief
- Suitable for LED025 lamps
- N/O, N/C and change over options



PRODUCT DESCRIPTION

Door switch (DS013) monitors the position of cabinet doors, and is available in three versions, NC, NO, NC / NO.

For example, it can be used for switching a light on when a door is open (NC), or to activate a fan when the door is closed (NO).

The wide adjustment range of mechanical door switch DS 013 offers versatile uses. The housing is adjustable within a range of 35 mm, while the screw flange with a slotted hole provides an additional 21 mm.

TECHNICAL DATA

GENERAL DATA

| | |
|-----------------|---------------|
| Mounting | Screw fixing |
| Connection type | 4-pole clamp |
| Life span | 10,000 cycles |

DIMENSIONS

| | |
|--------|---------|
| Length | 87 mm |
| Width | 64 mm |
| Height | 29,5 mm |

ELECTRICAL SPECIFICATION

| | |
|--------------|-------------------|
| Contact type | Changeover (SPDT) |
|--------------|-------------------|

SAFETY & APPROVALS

| | |
|--------------------|--------------------|
| IP class | IP20 |
| Approvals | CE, EAC, RoHS, VDE |
| Flammability class | UL94-V0 |

MATERIALS - CONDITIONS

| | |
|--------------------------|-----------------|
| Material plastic housing | Plastic |
| Colour | Grey, Black |
| Operational temperature | -20°C ... +85°C |
| Storage temperature | -20°C ... +85°C |
| Operating humidity | < 90% RH |
| Humidity storage | <90% RH |

ADDITIONAL DATA

| | |
|--------|---------|
| Weight | 0,05 kg |
|--------|---------|

