

DATALOGIC LIDAR GUIDANCE SCANNER

LGS-N50 LIDAR guidance scanner ToF, 360°, 50m

- Scanning angle of 360°
- · Distance up to 50 meters
- Natural navigation up to 15 meters
- Based on time-of-flight infrared laser technology



PRODUCT DESCRIPTION

LIDAR (Light Detection and Ranging) uses laser-based time-of flight (ToF) technology to construct a 360-degree view for the guidance of Automated Guided Vehicles (AGV), Laser Guided Vehicles (LGV) and Automated Guided Forklifts (AGF).

Datalogic's LGS-N50 is a compact, rugged navigation Lidar which can be mounted on suitable vehicles to provide laser-based navigation by providing distance and intensity measurement to the AGV guidance systems.

With its compact size and simple Ethernet UDP protocol, the LGS-N50 is easy to fit and simple to configure.

Combined with Laser Sentinel safety laser scanners, Datalogic offers manufacturers of Automated Vehicles a complete solution for automated vehicle guidance.

Details of the Basler Blaze ToF camera for machine vision and robot guidance applications can be found here. Details of Datalogic's safety products in conjunction with LIDAR for AVG applications can be found here.

TECHNICAL DATA

IP class	IP66
LED indicator	Yes
Lens material	Polycarbonate
Material of body	Aluminium alloy, Polycarbonate
Output current max	30 mA
Power consumption	7 W
Reading Field of View	0.2-2m (1.8% reflectivity), 0.2-15m (10%), 0.2-50m (80%)
Reading speed	60,000 points per second
Storage temperature max	70 °C
Storage temperature min	-30 °C
Supply voltage	12 - 32 V DC
Temperature operational max	50 °C
Temperature operational min	-20 °C
Type of light	Laser
Weight	900 g
Viewing angle	360°