## **DOGA - 168 SERIES**

DC motor only, planetary option

168.4105.20.04 Motor 12 V dc, 0.5 Nm, 1900 rpm, 14 A, shaft E8

- 12-24Vdc
- Up to 0.75 Nm
- Up to 3000 rpm
- 79mm diameter
- · High starting torque



## PRODUCT DESCRIPTION

The DOGA 168 series is a range of 79mm diameter permanent magnet DC motors that are developed for a compact, low noise and cost-effective solution to suit many industrial applications. IP40 is standard, with an EMC filter option.

VOLTAGE: 12 / 24Vdc supply - ideally suited to battery powered and mobile applications.

TORQUE: >0.75Nm nominal, >3.0Nm starting – a good choice for applications requiring **high start-up power**.

SPEED: 750 - 3000rpm options.

For modest quantities DOGA can offer **product customisation** to better suit the individual needs of the customer and application. Adaptations can include changes to the output shaft, supply voltage, cabling/connectors and motor windings.

Typical applications include:

Agriculture
Building access
Care aid
Medical
Office equipment
Marine
General industrial automation

## **TECHNICAL DATA**

Current max	64 A
EMC filter	No
IP class	IP40
Max. torque	3 Nm
Nominal current	14 A
Nominal speed	1900 rpm
Nominal torque	0,5 Nm
Shaft diameter	8 mm



Supply voltage 12 V DC

Weight 2,6 kg









