

UNINSULATED RING SHAPED LUGS – QKS

QKS

30804.0

QKS 1/U/M2,5, 1mm² Seamed cable lug, M2.5

- Heat resistant up to 125 °C
- Soldered; DIN EN13599
- Size range 0.5 mm²...240 mm²
- Seamed version



PRODUCT DESCRIPTION

Conta-Clip continues to add to their portfolio with the addition of un-insulated lug terminals to complement their extensive range of stud terminals.

The galvanised QKS seamed ring shaped lugs start at 0.5mm² through 240mm² (M2.5/M16).

To complete the range, a selection of un-insulated SKS pin crimp and STV butt connectors are also available.

TECHNICAL DATA

GENERAL DATA

| | |
|-------------------------------------|--------------------------|
| Colour | Natural |
| Cross section min | 0.5 mm ² |
| Cross section max | 1 mm ² |
| Metric connecting thread size | M 2,5 |
| Ring hole diameter | 2.7 mm |
| Conductor shape | Ring shape acc.DIN 46234 |
| Rated wire cross section from (AWG) | 20 |
| Rated wire cross section to (AWG) | 18 |

DIMENSIONS

| | |
|--------------------------|---------|
| Width of ring | 6 mm |
| Length to middle of ring | 10.8 mm |
| Length of feed-in funnel | 4.8 mm |

| | |
|----------------------------|--------|
| Diameter of feed-in funnel | 1.6 mm |
| Stripping length | 4.8 mm |

MATERIALS

| | |
|--------------------------|--------|
| Conductor material | Copper |
| Contact surface | Tinned |
| Soldered | Yes |
| Operating temperature to | 125 °C |

APPROVALS

| | |
|---------------|----------|
| DIN approvals | EN 13599 |
|---------------|----------|

ADDITIONAL DATA

| | |
|-------------------|----------|
| Tariff code | 85369010 |
| Country of origin | TW |
| Weight | 0.63 g |
| Pack size | 100 |

