

#### **OEM Automatic Ltd**

Address: Whiteacres, Whetstone Leicester, LE8 6ZG 0116 284 9900 | Orders@oem.co.uk | www.oem.co.uk

# 90° ELBOW GLANDS AND 45°/90° ELBOWS


Progress® Elbow

5210.21

Gland NPB, 90° elbow, Pg 21, long, ø12.5...20.5mm



- Nickel plated brass
- Ideal for tight spaces
- thread adaptor versions
- -40°C...+100°C
- up to IP68



#### PRODUCT DESCRIPTION

The popular Progress® range of nickel-plated brass are also available with 90° elbow, so ideal for tight spaces.

In addition to the glands, there are also a range of 90° and 45° elbows with internal & external threads to give additional flexibility.

### **TECHNICAL DATA**

#### **GENERAL DATA**

Thread Size (G)	PG 21
Insert Type	Two-Piece
Cable diameter inner min	12.5 mm
Cable diameter inner max	16 mm
Cable diameter min	16 mm
Cable diameter max	20.5 mm
IP class	IP 68

#### **DIMENSIONS**

Thread length	14 mm
Height (H)	48 mm
Spanner width (AF)	30 mm
Width (B)	52 mm

# **MATERIALS**

Material	Nickel-plated brass
Material of seals	TPE
Temperature range	-40°C +100°C

# **APPROVALS**

Approvals	EAC
Entry thread IP class	IP 68, if entry thread is sealed

# **ADDITIONAL DATA**

Pack size	25
Country of origin	СН
Tariff code	74199949
Weight	125.52 g

