OEM Automatic Ltd
Address: Whiteacres, Whetstone Leicester, LE8 6ZG
0116 284 9900 | Orders@oem.co.uk | www.oem.co.uk

QUARTER-TURN L-HANDLE PADLOCKABLE

261565
L-handle for padlock black, with earthing nut



- Spring Loaded padlock loop
- 18mm lock housing
- Waterproof according to NEMA 4
- L-handle 90° rotation
- Not configurable


PRODUCT DESCRIPTION


L-handle with 90° rotation for padlocks with retractable, spring-loaded padlock loop. Universal counterclockwise or clockwise rotation when opening / closing. Supplied with nut. Protection class IP65, also classified "Waterproof according to NEMA 4".


Please note that rule is ordered separately. Choose rule with notches, three-point rule or hook rule.

TECHNICAL DATA


Configurable	No
Material lock housing	Zinc, black powder coated
Material nut	Zinc plated, Zinc
Material padlock	Steel
Material terminal	Zinc plated, Steel











NEMA
4



105
37
H
18
Max 8
Ø 8
L
19,50
16
Ø 32,70



COMBI
□ 20,10
Ø22,50
IP65






NEMA
4


105
37
H
18
Max 8
L
Ø 8


19,50
16
Ø 32,70