**OEM Automatic Ltd**
Address: Whiteacres, Whetstone Leicester, LE8 6ZG
0116 284 9900 | Orders@oem.co.uk | www.oem.co.uk

# TECNOPLASTIC - FLOAT SWITCH - OLYMPIC

GOLH3G115NN01
Single function, H07 RNF, 15M cable



- Maximum depth of 20 metres
- Single or double function
- Up to 60°C
- Compact size


### PRODUCT DESCRIPTION


The Olympic level switch from Tecnoplastic is a popular style of level switch when size is a consideration. This level regulator is very cost effective and can be used in many ways for automated control of liquid levels in various applications.


- Water pumps
- Plumbed system automation


## TECHNICAL DATA


| | |
|---|---|
| **Activation angle** | 45 ° |
| **Approvals** | CE, TÜV |
| **Cable length** | 15 m |
| **Cable type** | H07RN-F |
| **Counterweight included** | No |
| **Depth max** | 10 m |
| **Function** | N/O & N/C |
| **Insulation class** | I-II |
| **IP class** | IP68 |
| **Material of float** | Polypropylene |
| **Operating temperature to** | 60 °C |
| **Rated current** | 8 A |
| **Specific gravity** | 0.6 kg/dm³ |
| **Supply voltage** | 250 V |



45°


108
Ø73
Ø84
17
48


45°


45°


45°


108
Ø73
Ø84
17
48