**OEM Automatic Ltd**
Address: Whiteacres, Whetstone Leicester, LE8 6ZG
0116 284 9900 | Orders@oem.co.uk | www.oem.co.uk

# TECNOPLASTIC - FLOAT SWITCH - MOUSE B

M0BH3G110NG01
MOUSE B, H07 RNF 3G1, 10M, 1 Func



- Maximum depth of 200mm
- Single or double function
- Up to 50°C
- Ideal for narrow spaces

### PRODUCT DESCRIPTION

The Mouse B from Tecnoplastic  is a popular style of level switch for narrow spaces, where regular floats don't have enough moving area.  The user can adjust the floats up and down the stem to their preferred minimum or maximum.
Suitable for control in clean water, sewage water, industrial water systems and in systems with water in chemical substances.

## TECHNICAL DATA

| | |
|---|---|
| **Approvals** | CE, TÜV |
| **Cable length** | 10 m |
| **Cable type** | H07 RNF |
| **Depth max** | 0.2 m |

| | |
|---|---|
| **Function** | N/O & N/C |
| **Insulation class** | I-II |
| **IP class** | IP68 |
| **Material of float** | Polypropylene |
| **Material of seals** | EPDM |
| **Material of stem** | PET |
| **Operating temperature to** | 50 °C |
| **Rated current** | 8 A |
| **Supply voltage** | 250 V |














