**OEM Automatic Ltd**
Address: Whiteacres, Whetstone Leicester, LE8 6ZG
0116 284 9900 | Orders@oem.co.uk | www.oem.co.uk

# TECNOPLASTIC - FLOAT SWITCH - MOUSE 250 B

M2B53X102NG01
MOUSE 250 B, H05 RNF 3X1, 2M, 2 Func



- Maximum depth of 250mm
- Single or double function
- Up to 50°C
- Ideal for narrow spaces

### PRODUCT DESCRIPTION

The Mouse 250 B from Tecnoplastic  is a popular style of level switch for narrow spaces, where regular floats don't have enough moving area.  The user can adjust the floats up and down the stem to their preferred minimum or maximum.
Suitable for control in clean water, sewage water, industrial water systems and in systems with water in chemical substances.

## TECHNICAL DATA

| | |
|---|---|
| **Approvals** | CE, TÜV |
| **Cable length** | 2 m |
| **Cable type** | H05 RNF |
| **Depth max** | 0.25 m |

| | |
|---|---|
| **Function** | N/O & N/C |
| **Insulation class** | I-II |
| **IP class** | IP68 |
| **Material of float** | Polypropylene |
| **Material of seals** | EPDM |
| **Material of stem** | AISI 316 |
| **Operating temperature to** | 50 °C |
| **Rated current** | 8 A |
| **Supply voltage** | 250 V |














