

DOGA - 162 SERIES

DC motor only, planetary option

162.4107.30.00E
 Motor 24 V dc, 0.2 Nm, 2000 rpm, 3 A, EMC filter

- 12-24Vdc
- Up to 0.2Nm
- Up to 3000rpm
- 60mm diameter
- High starting torque



PRODUCT DESCRIPTION

The DOGA 162 series is a range of 60mm diameter permanent magnet DC motors that are developed for a compact, low noise and cost-effective solution to suit many industrial applications. IP53 is standard, with an EMC filter option.

VOLTAGE: 12 / 24Vdc supply - ideally suited to **battery powered** and **mobile applications**.

TORQUE: >0.2Nm nominal, >1.0Nm starting – a good choice for applications requiring **high start-up power**.

SPEED: 1500 - 3000rpm options.

For modest quantities DOGA can offer **product customisation** to better suit the individual needs of the customer and application. Adaptations can include changes to the output shaft, supply voltage, cabling/connectors and motor windings.

Typical applications include:

- Agriculture**
- Building access**
- Care aid**
- Medical**
- Office equipment**
- Marine**
- General industrial automation**

TECHNICAL DATA

Current max	12 A
EMC filter	Yes
IP class	IP53
Max. torque	1

Nominal current	3 A
Nominal speed	2000 rpm
Nominal torque	0.2
Shaft diameter	8 mm
Supply voltage	24 V DC
Weight	1.1 kg

A



