

0116 284 9900 | Orders@oem.co.uk | www.oem.co.uk

## **DOGA - 168 SERIES**

DC motor only, planetary option

168.4123.20.04 Motor 12 V dc, 0.5 Nm, 2100 rpm, 16 A, shaft E13/E41

- 12-24Vdc
- Up to 0.75 Nm
- Up to 3000 rpm
- 79mm diameter
- · High starting torque



## PRODUCT DESCRIPTION

The DOGA 168 series is a range of 79mm diameter permanent magnet DC motors that are developed for a compact, low noise and cost-effective solution to suit many industrial applications. IP40 is standard, with an EMC filter option.

VOLTAGE: 12 / 24Vdc supply - ideally suited to battery powered and mobile applications.

TORQUE: >0.75Nm nominal, >3.0Nm starting – a good choice for applications requiring high start-up power.

SPEED: 750 - 3000rpm options.

For modest quantities DOGA can offer product customisation to better suit the individual needs of the customer and application. Adaptations can include changes to the output shaft, supply voltage, cabling/connectors and motor windings.

Typical applications include:

Agriculture **Building access** Care aid Medical Office equipment Marine General industrial automation

## **TECHNICAL DATA**

Current max	76 A
EMC filter	No
IP class	IP40
Max. torque	3
Nominal current	16 A
Nominal speed	2100 rpm
Nominal torque	0.5
Shaft diameter	11 mm



Supply voltage 12 V DC

Weight 2.6 kg











