OEM Automatic Ltd
Address: Whiteacres, Whetstone Leicester, LE8 6ZG
0116 284 9900 | Orders@oem.co.uk | www.oem.co.uk

# HONSBERG - GK SERIES FLOW INDICATOR

Flow display with float

GK-010GTW0100
Flow meter 3/8", 10-100 l/h water



- Flow from 0.2 to 10 Nm2/h3/h air and 10-640 l/h water
- For pressure up to 15 bar
- With min. and max. indication

**PRODUCT DESCRIPTION**

Model GK is a variable area flow meter with a scale that is easy to read. It has been developed to measure liquids and gases/air in various forms.


## Special versions


• Special scales
• Reed switches

# TECHNICAL DATA


| | |
|---|---|
| **Accuracy** | +/- 3% of the final value |
| **Connection type** | Internal thread, G 3/8 " |
| **Flow range max** | 1.66 l/min |
| **Flow range min** | 0.16 l/min |
| **Function** | Flow indicator, float body |
| **Material of body** | Polysulfone |
| **Material of connection** | Die cast metal |
| **Material of seals** | Viton |
| **Material suspension body** | Polypropylene |
| **Pressure drop** | Max 20 mbar |
| **Pressure range max** | 15 bar |
| **Temperature of media to** | 60 °C |


| | |
|---|---|
| **Type of flow component** | Flowmeter |
| **Weight** | 0.2 kg |






| Rp | L mm | L1 mm | L2 mm | G | SW mm | X mm | Weight kg |
|---|---|---|---|---|---|---|---|
| 3/8 | 207 | 180 | 165 | 3/4 | 32 | 12 | 0,18 |
| 1/2 | 215 | 185 | 170 | 1 | 41 | 13 | 0,30 |
| 3/4 | 230 | 201 | 185 | 11/4 | 50 | 16 | 0,50 |
| 1 | 250 | 219 | 200 | 11/2 | 55 | 19 | 0,65 |







| Rp | L mm | L1 mm | L2 mm | G | SW mm | X mm | Weight kg |
|---|---|---|---|---|---|---|---|
| 3/8 | 207 | 180 | 165 | 3/4 | 32 | 12 | 0,18 |
| 1/2 | 215 | 185 | 170 | 1 | 41 | 13 | 0,30 |
| 3/4 | 230 | 201 | 185 | 11/4 | 50 | 16 | 0,50 |
| 1 | 250 | 219 | 200 | 11/2 | 55 | 19 | 0,65 |