0116 284 9900 | Orders@oem.co.uk | www.oem.co.uk

## **ELECTRONIC HYGROSTAT - EFR 012**

**EFR** 

01245.0-00 EFR 012 Hygrostat, 40...90% RH, change over, 230V

- Adjustable and pre-set relative humidity
- Status indicator (LED)
- High switching capacity
- Clip fixing
- Temperature-compensated





#### PRODUCT DESCRIPTION

The electronic hygrostat senses the relative humidity in an enclosure with electric/electronic components and turns on a heater at the set point, helping prevent the formation of condensation in the enclosure. The LED integrated in the adjustment knob is lit when the connected heater is in operation

#### **TECHNICAL DATA**

### **GENERAL DATA**

Control range humidity from	40 % RF
Control range humidity to	90 % RF
Hysteresis humidity	5% RH @ 25°C @ 50% RH
Mounting	Clip on, DIN rail
Contact type	Changeover (SPDT)
Colour	Light grey

#### **RATED OPERATING CONDITIONS**

Voltage max	230 V ac
Voltage min	230 V ac
Inrush max	16 A
Breaking capacity	AC 240 V / AC 120 V 8 (1,6) A
Connection type	5-pole terminal
Operational temperature	0 °C +60°C

Storage temperature	-20°C +70°C
Life span	> 50,000 cycles
Operating humidity	< 90% RH
Humidity storage	<90% RH

# **DIMENSIONS**

Height	64.5 mm
Width	42 mm
Depth	38 mm
Weight	0.07 kg
Material of body	Plastic

# **SAFETY & APPROVALS**

IP class	IP20
Approvals	CE, cULus, EAC, RoHS, UL, UL E164102, VDE
Flammability class	UL94-V0
Frequency	50/60 Hz







