OEM Automatic Ltd
Address: Whiteacres, Whetstone Leicester, LE8 6ZG
0116 284 9900 | Orders@oem.co.uk | www.oem.co.uk

# DATALOGIC RIDA DBT6400

DBT6400-BK
DBT6400, BT Pocket 2D Area Imager, Black




- Detects 1D/2D code types
- Wide VGA 752 x 480 pixel image sensor
- 3,000+ reads per charge
- Interfaces: USB COM, USB-OEM, USB keyboard

**PRODUCT DESCRIPTION**

## TECHNICAL DATA

| | |
|---|---|
| **1D Code types** | Auto discriminates all standard 1D codes |
| **2D Code Types** | Aztec Code, China Han Xin Code, Data Matrix, MaxiCode, Micro QR Code, QR Code, Aztec Mesas |
| **Approvals** | RoHS |
| **Battery** | Lithium-ion 700 mAh |
| **Charge time** | 2.5 hrs |
| **Colour** | Black |
| **Dimension (mm)** | 112.5 x 42.3 x 27.5 |
| **Drop resistance** | Withstands repeated drops from 5ft onto a concrete surface |
| **Humidity** | 5-95% (Non-condensing) |
| **Immunity to ambient light** | 0-100,000 lux |
| **Interface** | USB COM, USB-OEM, USB keyboard wedge |
| **IP class** | IP50 |
| **Kit** | No |
| **Light source** | White |
| **Postal Code Types** | China Post, KIX Post, Planet Code, Postnet, Royal Mail Code (RM4SCC), UK Postal, Australia Postal, Japan Postal, Canadian Post, Korea Post |
| **Readable code types** | 1D / Linear Codes, 2D Codes, Postal Codes, Stacked Codes |

| | |
|---|---|
| **Reading angle window** | Pitch:+/-65°; Tilt: up to 360°; Skew: +/-60° |
| **Reads per charge** | 3000 |
| **Sensor Type** | Wide VGA: 752 x 480 pixels |
| **Stacked Code Types** | EAN/JAN Composites, GS1 Databar Composites, GS1 Databar Expanded Stacked, GS1 Databar Stacked, GS1 Databar Stacked Omnidirectional, Macro PDF, Micro PDF 417, PDF 417, UPC A/E Composites |
| **Storage temperature max** | 70 °C |
| **Storage temperature min** | -20 °C |
| **Temperature operational max** | 50 °C |
| **Temperature operational min** | 0 °C |
| **Weight** | 85 g |
| **Wireless** | Yes |
| **Wireless technology** | Bluetooth Wireless Technology |