**OEM Automatic Ltd**
Address: Whiteacres, Whetstone Leicester, LE8 6ZG
0116 284 9900 | Orders@oem.co.uk | www.oem.co.uk

# VARIOLINE LAMP WITH SOCKET LED 121/122 - OBSOLETE - NEW RANGE COMING SOON

Varioline

12121.0-30
OBSOLETE - LED 121 220-240V AC, door switch, magnet fixing,FR/PL/CZ/SK socket



- OBSOLETE
- FOR LED LIGHT USE LED 025
- FOR SOCKETS USE SD 035

**PRODUCT DESCRIPTION**

LED 121/122 Range is now Obsolete - Stego has a New Range coming Mid 2024

# TECHNICAL DATA

## GENERAL DATA

| | |
|---|---|
| **Mounting** | Magnetic mount |
| **Nominal voltage** | 220-240 V AC |
| **Activation** | Door switch |
| **Connection type** | 3-pole plug with snap lock |
| **Socket** | FR/PL/CZ/SK |
| **Nominal socket current** | 16 A |
| **Light source** | LED |
| **Luminance** | 1.080 Lm/1.730 Lm |
| **Life span** | 60,000h at +20°C |

## DIMENSIONS

| | |
|---|---|
| **Length** | 500 mm |
| **Width** | 100 mm |
| **Height** | 44 mm |

## ELECTRICAL SPECIFICATION

| | |
|---|---|
| **Frequency** | 50/60 Hz |

| | |
|---|---|
| **Power consumption** | 11 W |


## SAFETY & APPROVALS

| | |
|---|---|
| **Protection class** | I (earthed) |
| **IP class** | IP20 |
| **Approvals** | CE, RoHS |
| **Approvals pending** | VDE |

## MATERIALS - CONDITIONS

| | |
|---|---|
| **Material of body** | Plastic |
| **Colour** | Translucent/White |
| **Operational temperature** | -30°C … +40°C |
| **Storage temperature** | -40°C … +85°C |
| **Operating humidity** | < 90% RH |
| **Humidity storage** | <90% RH |

| | |
|---|---|
| **Voltage min** | 200 V ac |
| **Voltage max** | 265 V ac |
| **Weight** | 0.4 kg |




LED 121 (Size 1)
L1 = 500 mm
L2 = 475 mm

LED 122 (Size 2)
L1 = 700 mm
L2 = 675 mm

