


0116 284 9900 | Orders@oem.co.uk | www.oem.co.uk

INSULATED BOOTLACE FERRULES 0.14MM² TO 4MM²



V30AE000054 2.5mm² x 18mm Ferrule - Blue

- Funnel feed-in made of polypropylene
- Heat resistant up to 120 °C
- For wires from 0.14...4 mm²
- Material: E-Cu/A-Cu, galvanically tin-plated



PRODUCT DESCRIPTION

When the individual strands at the ends of finely stranded wires need to be protected and to provide a more robust connection, then our Z + F wire-end bootlace ferrules are an ideal solution.

The wire-end ferrules can be crimped easily and securely with Z + F crimping pliers or a variety of machines. The resulting connections function properly both electrically and mechanically.

Euopean manufactured, this range ensures a reliable crimp without splitting.

TECHNICAL DATA

GENERAL DATA

Colour	Grey
Cross section max	2.5 mm ²
Rated wire cross section to (AWG)	14
Standard	German/UL (DIN) Standard
DIMENSIONS	
Length	25 mm
Length of tube	18 mm
Stripping length	20 mm
Thickness of collar	0.25 mm
Thickness of tube	0.15 mm
Diameter of collar	4.2 mm

Diameter of tube	2.2 mm
MATERIALS	
Conductor tube	Copper alloy
Contact surface	Galvanic tin-plated, shiny
Plastic collar	Polypropylene-homopolymer
Operating temperature from	-5 °C
Operating temperature to	105 °C
APPROVALS	
DIN 46228-4:1990	Yes
DIN 46228-1:1992	No
ADDITIONAL DATA	
Tariff code	85369010
Country of origin	DE

Pack size

d,] S, [__L₂

10	ioniche Nacional	ung kin	ANG.	3 Perbooker@embilite Cultur oxde/Onder no.					Nervenstle mm Dénemente mm						
(13/(1)	1_{k}	Typ*		28	ON	805	1_{i}	14	$\langle \theta_i$	8,	$\langle d_{\mu} \rangle$	δ_i	. vet		
0.14	: 6	- N	26	V204E001067		VODAECONOS	:10	0	0.6	0.15	1.5	0.25	500		
0.14	. 0	L	26	V30AE001988		V30AE001081	12	8	0.0	0.15	1.5	0.25	500		
0.2%	n	N	24	VacAecoccon		V004E001082 V004E001044	10		0.85	0.15	1.8	0.29	900		
0.25		÷	24	V30AE000002		V004E001048	- au		0.05	0,18	-9	0.26	800		
0.15	12	LS	24	VIOAEDD4155		V304E004154	-10	12	0.05	0.15	1.0	0.75	500		
						V204E001084			0.85	o,ta	2	0.26	800		
0,34	. 6	.14	22	V30AE000003		VOIDAECODEGE	10								
								V00AE001666							
0,54	18	14	22	+000003ADDV		VSDAEDOB877	12	. 11	0.05	0.10	2	0.25	500		
0.34	- 12	LB	22	V30AED04156		V00AE004157	18	12	0.85	0.15	2	0.26	500		
0.5	0	к	20	V304E000005	V304E000037	V30AE000037	32			0.15	2.6	0.26	500		
0.6	1	N	00	V304E000005	V30AE000038	VDDAE000008	.14	4		0.15	2.0	0.25	500		
0.8	13	HL.	20	V354E000007	V304E000039	VS04E000039	.45	50		0.15	2.6	0.29	800		
-0.5	12		20	V30AE004158	VSDAEDOHISB	VIOAE00HISB	30	12		Q,15	2.0	0.25	100		
0.75	. 6	R	18.	VISAE000008	VIOAE000040	VODAE000548	12	6	12	0.15	2,8	0.26	800		
0,75	- 8	Ň	10	V354E000009	V30AE0000HT	V304E000546	14		1.2	0.15	2,8	0.25	500		
0,75	:0	14.5	10	V3SAE000087	VIOAEDOBBBB	VIIOAE000088	.10	- 01	5.2	0.18	.2,8	0.26	000		
0.75	-10	HL	38	VICALEDOOD10	V30AE000042	VUDAECOD547	55	50	1.2	0.15	2,8	0.25	500		
0.75	12	L.	18	VSOAE0000H	V30AE000043	V304E000548	10	12	12	0.16	2.8	0.25	500		
1	.0	ĸ	18	V3046000010	V3045000044	VODAE00004+	10	6	1.4	0.15	5	0.25	500		
	8	N	18	VIDAED00013	V0046000048	VIDAECODO45	34	8	1.4	0.15	3	0.25	500		
	(10)	HL.	18.	V30AED00014	V30AED00048	V304E000048	:18	10	1.4	0,15	0	0.25	800		
+	-12	e.	18.	VSOAE000075	VSDAEDODDAF	V004E000047	15	12	1.4	0.15	3	0.25	500		
13.	: a	ĸ	10	V30A0001704	V30AE003705	V30AE003705	12			0.15	2.5	0.25	500		
1.5	0	.N	10	V3045000016	VIDADDODAS	V0046000048	11	÷	1.7	0.15	3,6	0.26	500		
1.6	=0	HL.	16	V304E000017	V3048000049	VIDAE000049	16	10	1.7	0.15	2.5	0.25	500		

500



	ientre Naurie		ANG		Nervinatie mm Demonstratie mm										
03/12	1_{k}	Typ*		20	DN	805	14	14	$\langle 0 \rangle$	8,	$\langle a_i \rangle$	δ_i	VPE		
0,14	: 0	N	26	V20AE001667		VOCAECONOSO	:10	. 6.	0.6	0.15	1.5	0.25	500		
0.14	0		26	VSOAE001968		V3045001081	+2	8	0.0	0.15	1.5	0.25	500		
0.25	n N	2	24	VIDARDODDO		VOGAE001082	10		0.85	0.15	1.8	0.29	1000		
		- 97				V3042001644									
0.25		1	24	VIDAEDODDOZ		VXXAE001683	-12		0.05	0.10	- 11	0.26	800		
	1	2		T, COMESSION OF		V304E001648		0.00	0.00						
0.15	12	LS	24	VS0AE004155		V30/E004154	-16	.12	0.05	0.15	1.0	0.75	500		
0.24	0 80	Ň	22	VIDAEDODDD		V20AE001064	10	10 e	0.05	0,15	2	0.26	500		
0,54	1		-	1009420000000		V30AE600535			0.55						
0.54			it. 22	22	22	VIDAEDDDDDA		V00A0001666	12		0.05	0.15	2	0.25	100
0,54	÷.,	a 1. 2					26	26	VODAEDODD04		V30AE008677	1.0		0.05	0.15
0.34	- 12	LB.	22	V3QAE004156		V00AE00#187	18-	12	0.88	0.15	2	0.25	500		
0.5	0	к	20	V30AE000005	V30AE000037	V3045000037	32	. 0		0.15	2.6	0.25	500		
0.6	1	N	20	VSOAE000005	V3045000038	VDDAEDOODDB	.94			0.05	2.0	0.25	600		
0.8	13	HL.	20	V304E000007	V3045000039	V304E000039	.45	90		0.15	2.0	0.29	800		
0.9	12	- £,	20	V30AE004158	V305200-059	VIDAEDOHISB	30	12		0,15	2.0	0.25	100		
0.75	. 6	к.	10.	VISAECODODE	V3042000040	1/30AE000648	17	-6	12	0.15	2.8	0.26	800		
0.75	- 8	Ň	10	VOGAEGODOOD	V304000041	V304E000546	14		1.2	0.15	2,8	0.25	500		
0,75	:0	14.5	10	VISAE008087	Vacaloosees	VIOALOODOBB	.15	. 9.	4.2	0.10	-2.0	0,25	500		
0.75	10	HL.	50	VIONEDODD10	VIOAD0004J	VUDABOOD47	50	90	12	0.15	2,8	0.25	500		
0.75	12	L.	18	V304E003011	V3548000043	V3042000548	-55	12	12	0.16	2.8	0.25	500		
1	.0	к	15	V004E000012	V304E000044	VIDAEDOCOAR	10	. 6	1.4	0.15	5	0.25	500		
	8	N	10	V30A2000018	V0046000048	V004E000048	34	8	1.4	0.15	3	0.25	500		
	.90	HL.	18.	V30AED00014	V3048000048	V3046000048	:18	10	.54	0.15	0	0.25	000		
÷.	12	Ł	18.	VSOAE000075	V304E000047	10046000047	15	12	1.4	0.15	3	0.25	- 500		
13	. a	к	10	V30AD003704	V30AE001705	V30A0001705	12			0.15	2.5	0.25	500		
1.6 :	0	.N	10	V30AE000018	V104000045	V0046000048	-14		1.7	0.16	3,6	0.26	500		
1.6	=0	HL.	16	V304E000017	V3048000049	V3042000049	16	10		0.15	2.5	0.25	500		