


INSULATED BOOTLACE FERRULE FOR DUAL CABLES

V30AE006654
 1mm² x 14mm Dual Ferrule - Red


- Funnel feed-in made of polypropylene
- Heat resistant up to 120 °C
- For wires from 0.5...16 mm²
- Material: E-Cu/A-Cu, galvanically tin-plated



PRODUCT DESCRIPTION



Bezeichnung Description	AWG	Partcode/Bestell-Nr. Cable size/Order No.	Nennmaß/mm Dimensions/mm		Stück Pieces					
			L ₁	L ₂						
2 x 0.34 0 N 2 x 22	V30AE006654	V30AE006654	15	8	12	0.15	0.25	3.8	2	500
2 x 0.5 0 N 2 x 20	V30AE006654	V30AE006654	14	8.5	14.1	0.15	0.3	3	3	500
2 x 0.8 10 HL 2 x 20	V30AE006654	V30AE006654	15	10	14	0.15	0.3	5	3	500
2 x 0.8 10 L 2 x 20	V30AE006654	V30AE006654	15	10	14	0.15	0.3	5	3	500
2 x 0.75 0 N 2 x 18	V30AE006654	V30AE006654	14	8	11	0.15	0.3	5.5	3	500
2 x 0.75 10 HL 2 x 18	V30AE006654	V30AE006654	15	10	13	0.15	0.3	5.5	3	500
2 x 0.75 10 L 2 x 18	V30AE006654	V30AE006654	15	10	13	0.15	0.3	5.5	3	500
2 x 0.75 18 L 2 x 18	V30AE006654	V30AE006654	24	18	17	0.15	0.3	6.5	3	500
2 x 1 0 N 2 x 18	V30AE006654	V30AE006654	15	8	2	0.15	0.3	6.8	3.2	500
2 x 1 10 HL 2 x 18	V30AE006654	V30AE006654	15	10	2	0.15	0.3	6.8	3.2	500
2 x 1 10 L 2 x 18	V30AE006654	V30AE006654	15	10	2	0.15	0.3	6.8	3.2	500
2 x 1 18 L 2 x 18	V30AE006654	V30AE006654	24	18	2	0.15	0.3	6.8	3.2	500
2 x 1.5 0 N 2 x 18	V30AE006654	V30AE006654	15	8	2.2	0.15	0.3	6.8	3.6	500
2 x 1.5 10 HL 2 x 18	V30AE006654	V30AE006654	20	15	2.2	0.15	0.3	6.8	3.6	500
2 x 1.5 10 L 2 x 18	V30AE006654	V30AE006654	20	15	2.2	0.15	0.3	6.8	3.6	500
2 x 2.0 10 N 2 x 14	V30AE006654	V30AE006654	16	10	2.8	0.2	0.4	8	4.5	100
2 x 2.0 10 HL 2 x 14	V30AE006654	V30AE006654	16	10	2.8	0.2	0.4	8	4.5	100
2 x 2.0 10 L 2 x 14	V30AE006654	V30AE006654	16	10	2.8	0.2	0.4	8	4.5	100
2 x 2.5 10 N 2 x 12	V30AE006654	V30AE006654	18	10	3.2	0.2	0.5	8	5.2	100
2 x 2.5 10 HL 2 x 12	V30AE006654	V30AE006654	18	10	3.2	0.2	0.5	8	5.2	100
2 x 2.5 10 L 2 x 12	V30AE006654	V30AE006654	18	10	3.2	0.2	0.5	8	5.2	100
2 x 4 10 N 2 x 10	V30AE006654	V30AE006654	23	10	4.8	0.3	0.5	11.4	6.2	100
2 x 4 10 HL 2 x 10	V30AE006654	V30AE006654	23	10	4.8	0.3	0.5	11.4	6.2	100
2 x 4 10 L 2 x 10	V30AE006654	V30AE006654	23	10	4.8	0.3	0.5	11.4	6.2	100
2 x 6 10 N 2 x 8	V30AE006654	V30AE006654	29	10	5.8	0.3	0.5	13.4	7.6	100
2 x 6 10 HL 2 x 8	V30AE006654	V30AE006654	29	10	5.8	0.3	0.5	13.4	7.6	100
2 x 6 10 L 2 x 8	V30AE006654	V30AE006654	29	10	5.8	0.3	0.5	13.4	7.6	100
2 x 8 10 N 2 x 6	V30AE006654	V30AE006654	29	10	8.3	0.3	0.6	17.2	9.5	80
2 x 8 10 HL 2 x 6	V30AE006654	V30AE006654	29	10	8.3	0.3	0.6	17.2	9.5	80
2 x 8 10 L 2 x 6	V30AE006654	V30AE006654	29	10	8.3	0.3	0.6	17.2	9.5	80



Bezeichnung Description	AWG	Partcode/Bestell-Nr. Cable size/Order No.	Nennmaß/mm Dimensions/mm		Stück Pieces					
			L ₁	L ₂						
2 x 0.34 0 N 2 x 22	V30AE006654	V30AE006654	15	8	12	0.15	0.25	3.8	2	500
2 x 0.5 0 N 2 x 20	V30AE006654	V30AE006654	14	8.5	14.1	0.15	0.3	3	3	500
2 x 0.8 10 HL 2 x 20	V30AE006654	V30AE006654	15	10	14	0.15	0.3	5	3	500
2 x 0.8 10 L 2 x 20	V30AE006654	V30AE006654	15	10	14	0.15	0.3	5	3	500
2 x 0.75 0 N 2 x 18	V30AE006654	V30AE006654	14	8	11	0.15	0.3	5.5	3	500
2 x 0.75 10 HL 2 x 18	V30AE006654	V30AE006654	15	10	13	0.15	0.3	5.5	3	500
2 x 0.75 10 L 2 x 18	V30AE006654	V30AE006654	15	10	13	0.15	0.3	5.5	3	500
2 x 0.75 18 L 2 x 18	V30AE006654	V30AE006654	24	18	17	0.15	0.3	6.5	3	500
2 x 1 0 N 2 x 18	V30AE006654	V30AE006654	15	8	2	0.15	0.3	6.8	3.2	500
2 x 1 10 HL 2 x 18	V30AE006654	V30AE006654	15	10	2	0.15	0.3	6.8	3.2	500
2 x 1 10 L 2 x 18	V30AE006654	V30AE006654	15	10	2	0.15	0.3	6.8	3.2	500
2 x 1 18 L 2 x 18	V30AE006654	V30AE006654	24	18	2	0.15	0.3	6.8	3.2	500
2 x 1.5 0 N 2 x 18	V30AE006654	V30AE006654	15	8	2.2	0.15	0.3	6.8	3.6	500
2 x 1.5 10 HL 2 x 18	V30AE006654	V30AE006654	20	15	2.2	0.15	0.3	6.8	3.6	500
2 x 1.5 10 L 2 x 18	V30AE006654	V30AE006654	20	15	2.2	0.15	0.3	6.8	3.6	500
2 x 2.0 10 N 2 x 14	V30AE006654	V30AE006654	16	10	2.8	0.2	0.4	8	4.5	100
2 x 2.0 10 HL 2 x 14	V30AE006654	V30AE006654	16	10	2.8	0.2	0.4	8	4.5	100
2 x 2.0 10 L 2 x 14	V30AE006654	V30AE006654	16	10	2.8	0.2	0.4	8	4.5	100
2 x 2.5 10 N 2 x 12	V30AE006654	V30AE006654	18	10	3.2	0.2	0.5	8	5.2	100
2 x 2.5 10 HL 2 x 12	V30AE006654	V30AE006654	18	10	3.2	0.2	0.5	8	5.2	100
2 x 2.5 10 L 2 x 12	V30AE006654	V30AE006654	18	10	3.2	0.2	0.5	8	5.2	100
2 x 4 10 N 2 x 10	V30AE006654	V30AE006654	23	10	4.8	0.3	0.5	11.4	6.2	100
2 x 4 10 HL 2 x 10	V30AE006654	V30AE006654	23	10	4.8	0.3	0.5	11.4	6.2	100
2 x 4 10 L 2 x 10	V30AE006654	V30AE006654	23	10	4.8	0.3	0.5	11.4	6.2	100
2 x 6 10 N 2 x 8	V30AE006654	V30AE006654	29	10	5.8	0.3	0.5	13.4	7.6	100
2 x 6 10 HL 2 x 8	V30AE006654	V30AE006654	29	10	5.8	0.3	0.5	13.4	7.6	100
2 x 6 10 L 2 x 8	V30AE006654	V30AE006654	29	10	5.8	0.3	0.5	13.4	7.6	100
2 x 8 10 N 2 x 6	V30AE006654	V30AE006654	29	10	8.3	0.3	0.6	17.2	9.5	80
2 x 8 10 HL 2 x 6	V30AE006654	V30AE006654	29	10	8.3	0.3	0.6	17.2	9.5	80
2 x 8 10 L 2 x 6	V30AE006654	V30AE006654	29	10	8.3	0.3	0.6	17.2	9.5	80

