

## Technical data sheet · Load monitoring

LOCC-Box Accessories



|                                                                                                  |                                |                    |
|--------------------------------------------------------------------------------------------------|--------------------------------|--------------------|
| <b>Identification</b>                                                                            | Type                           | LOCC Box ES 7-6425 |
|                                                                                                  | Part-No.                       | 716425             |
| <b>Description</b>                                                                               |                                |                    |
| LOCC-Box supply set<br>consisting of supply terminal and end block<br>maximum total current 40 A |                                |                    |
| <b>General</b>                                                                                   |                                |                    |
| Housing material                                                                                 | PA 6.6 (UL 94 V-0, NFF I2, F2) |                    |
| Mounting                                                                                         | DIN rail mountable TS35        |                    |
| Protection class                                                                                 | IP20                           |                    |
| Installation position                                                                            | any                            |                    |
| Operation temperature range                                                                      | -25 °C ... +50 °C              |                    |
| Storage temperature range                                                                        | -40 °C ... +85 °C              |                    |
| Weight                                                                                           | 0.035 kg/piece                 |                    |
| Dimensions (w × h × d)                                                                           | 10.0 × 119.4 × 63.7 mm         |                    |
| PU                                                                                               | 1 piece                        |                    |
| Certifications                                                                                   | cULus (E135145)                |                    |

11.03.2020 – Subject to technical modification

Part-No. 716425

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA  
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223  
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park  
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU  
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2  
www.lutze.com • sales.gb@lutze.co.uk




SYSTEMATIC TECHNOLOGY


## Technical data sheet · Load monitoring

### Dimensions

### Supply terminal



### End block



11.03.2020 – Subject to technical modification

Part-No. 716425

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA

Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223

www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park

Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU

Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2

www.lutze.com • sales.gb@lutze.co.uk




SYSTEMATIC TECHNOLOGY

## Technical data sheet · Load monitoring

---

### PIN assignment

DC 24V ◦



11.03.2020 – Subject to technical modification

Part-No. 716425

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA

Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223

www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park

Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU

Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2

www.lutze.com • sales.gb@lutze.co.uk



SYSTEMATIC TECHNOLOGY